

Fix eth0 network interface when cloning Linux virtual machines using Oracle VirtualBox or VMWare

```
#ifup eth0
```

Device eth0 does not seem to be present, delaying initialisation

What's happening here is that when you clone your VM, VirtualBox and VMWare apply a new MAC Address to your network interfaces but they don't update the linux configuration files to mirror these changes and so the kernel doesn't firstly can't find or start the interface that matches it's configuration (with the old MAC Address) and it finds a new interface (the new MAC Address) that it has no configuration information for. The result is that only your networking service can only start the loopback networking interface and eth0 is dead.

So here's how we fix it:

Remove the kernel's networking interface rules file so that it can be regenerated

```
# rm /etc/udev/rules.d/70-persistent-net.rules
```

Restart the VM

```
# reboot
```

Edit the network card "name" from eth1 to eth0 in 70-persistent-net.rules

```
#vi /etc/udev/rules.d/70-persistent-net.rules
```

Restart UDEV

```
#start_udev
```

UPDATE your interface configuration file

```
# vi /etc/sysconfig/network-scripts/ifcfg-eth0  
Remove the MACADDR entry
```

Remove the UUID entry

Save and exit the file

Restart the networking service
service network restart

Â

SOURCE:

<http://blog.williamjamieson.me/2012/09/21/fix-eth0-network-interface-when-cloning-redhat-centos-or-scientific-virtual-machines-using-oracle-virtualbox-or-vmware/>

Online URL: <https://kb.naturalnetworks.com/article.php?id=129>