Various queries: see what tasks are running, who is connected, and kill task or user

SELECT

 $\hat{A} \hat{A} \hat{A} \hat{A} \hat{A} \hat{A} \hat{A}$ percent_complete \hat{A}

 $\hat{A}~\hat{A}~\hat{A}~\hat{A}~\hat{A}~\hat{A}~\hat{A}~\underbrace{\hat{A}}_{\text{status}}$

 $\hat{A}~\hat{A}~\hat{A}~\hat{A}~\hat{A}~\hat{A}$ estimated_completion_time $\hat{A}~$,

 $\hat{A} \hat{A} \hat{A} \hat{A} \hat{A} \hat{A} \hat{A} cpu_time \hat{A}$

 \hat{A} \hat{A} \hat{A} \hat{A} \hat{A} \hat{A} total_elapsed_time

FROM

 $\hat{A} \; \hat{A} \;$

WHERE

 $\hat{A}~\hat{A}~\hat{A}~\hat{A}~\hat{A}~\hat{A}~\hat{a}~command \\ \hat{\hat{A}}~= \\ \hat{\hat{A}}~'DbccFilesCompact'$

Â

Â

Â

Â

Â

 $USE\hat{A}$ master \hat{A} ;

GO

 $\mathsf{EXEC} \hat{A} \; \mathsf{sp_who} \, \hat{A} \; ;$

GO

Â

Returns list of all running processes and their SIPD's

Â Â sp_who2

Â

To kill a process

Â Â KILL {SPID}

Â

sp_lock

Â

Â

SELECTÂ *

 $\mathsf{FROM} \hat{A} \ \mathsf{sys} \hat{A} \ \mathsf{\cdot dm_os_wait_stats}$

GO

Â

Â

Â

SELECTÂ *

 $ORDER \hat{A} \ BY \hat{A} \ wait_duration_ms \hat{A} \ DESC$

GO

Â

Â

Â

Online URL: https://kb.naturalnetworks.com/article.php?id=179